

Technical drawing of a 2x4-HA20 container chassis, showing top and side views with dimensions and callouts.

Top View Dimensions:

- Overall width: 120
- Overall length: 10x100=1000
- End flange width: 200

Side View Dimensions:

- Overall height: 28x200=5600

Callouts and Labels:

- 01:** 2x4-HA20 Contrefiches
- 02, 03, 04, 05:** Callouts for structural components on the side view.
- 06, 07, 08, 09:** Callouts for structural components on the top view.
- 10, 11, 12:** Callouts for structural components on the top view.
- 19:** 2x4-HA20 Contrefiches

Structural Features:

- Diagonal bracing (X-brace) is shown in the side view.
- Reinforcement bars (stirrups) are indicated by small circles with cross-hairs.
- Load arrows (F, E, D, C) are shown at the top and bottom of the side view.

02 2x29-HA12 e=200
Cerces

04 14-HA12 e=400
Epingles

03 14-HA12 e=400
Cadres

05 3x14-HA12 e=400
Cadres

01

Technical drawing of the back of a shoe sole, showing the internal structure and assembly steps. The sole is oval-shaped with a grid of internal channels. The drawing includes the following labels and components:

- 10**: A small circular component, likely a screw or fastener.
- 3x6-HA25**: A label indicating the size and type of the fastener.
- Frette**: A label indicating the fastener is a screw.
- A**: A label indicating the assembly direction (arrow pointing right).
- 02**: A label indicating a specific part or layer of the sole.
- 11**: A small circular component, likely a screw or fastener.
- 3x6-HA25**: A label indicating the size and type of the fastener.
- Frette**: A label indicating the fastener is a screw.
- 01**: A label indicating a specific part or layer of the sole.
- B**: A label indicating the assembly direction (arrow pointing left).

The diagram shows a rectangular mesh fabric with several fasteners labeled as follows:

- 01**: U de fermetures (Fastener)
- 02**: U de fermetures (Fastener)
- 12**: 2x1-HA25 U de fermetures (Fastener)
- 13**: 2x1-HA25 U de fermetures (Fastener)
- 14**: 2x1-HA25 U de fermetures (Fastener)
- 15**: 1-HA25 U de fermetures (Fastener)
- 16**: 11-HA25 U de fermetures (Fastener)
- 17**: 2x11-HA25 U de fermetures (Fastener)
- 18**: 2x1-HA25 U de fermetures (Fastener)

Dimensions are indicated by arrows and numbers:

- 100**: Length dimension.
- 100**: Width dimension.
- 100**: Depth dimension.

A scale bar at the bottom indicates dimensions from 0 to 100 mm.

DONNEES
Enrobage 50 mm
Recouvrement 50%
Béton BPS NF EN 206-1 XS (F) C30/37 D 22.4 S4 Cl 0.40
HA Fe E500

Délagé  MARSEILLE PROVENCE METROPOLE 10, Place Joliette 13002 MARSEILLE	Assistent Technique  CARNET MERLIN CABINET MERLIN Bureau de Marseille 171, bis chemin de la Madrague Bâtiment Acropolis 13002 MARSEILLE
Maitre d'ouvrage délégataire  EVERE Bureau de Marseille 1300, avenue Albert Einstein 34935 MONTPELLIER CEDEX 09 France	Assistent Maître d'ouvrage  URBASER ENVIRONNEMENT Bureau de Marseille 171, bis chemin de la Madrague Bâtiment Acropolis 13002 MARSEILLE
Architecte Mandataire  S'pace Architectes Associés 111, Rue Moltes 04200 VYRY SUR SEINE Tél. : 01.45.18.81.21 Fax : 01.45.18.81.11 espacemarseille@sksholding.com	Architecte Associé  Atelier Architecture Bruno Miranda Atelier Architecture Bruno Miranda 11, Avenue de la Capellelle 13010 MARSEILLE Tél. : 04.91.78.84.86 Fax : 04.91.26.57.84 Atelier-miranda@wanadoo.fr
Assistent Technique au Maître d'Ouvrage  INGEVALOR 28, Chemin de la Fontaine 08100 ECULLY Tél. : 04.72.18.85.60 Fax : 04.72.18.84.43 ingevalor.aouff@ingevalor.com	Contrôle Technique et Coordination SP8  APAVE 8, Rue J.J. Vennex ZAC Saumery-Léon BP 189 13322 MARSEILLE CEDEX 18 Tél. : 04.95.16.23.59 Fax : 04.95.16.23.98
Entreprise  URBASER ENVIRONNEMENT Bureau de Marseille 171, bis chemin de la Madrague Bâtiment Acropolis 13002 MARSEILLE	

CENTRE DE TRAITEMENT MULTIFILIERES DE DECHETS MENAGERS AVEC VALORISATION ENERGETIQUE

PORT AUTONOME DE MARSEILLE / FOS-SUR-MER

PILE PLAN DE FERRAILLAGE						Nom du fichier _____	
	Etabli par	Vérifié par	Approuvé par	Date	Objet de la révision	Normal A0	Echelle 1/250
A	J. SAUT			06/06/08	Première diffusion		
B	J. SAUT			03/07/08	Mise à jour suivant avis N°3 (VERITAS)		
C							
D							
E							
F							

RFI Client										Statut				
S	A	M	P	O	I	N	P	G	O	3	0	3	0	B
Sous-traitant			Généraliste	Généraliste	Généraliste	Généraliste	Généraliste	Généraliste	Généraliste	Généraliste	Généraliste	Généraliste	Généraliste	Généraliste

AVS